


12/30/99
U.S. PTO



A
JC675 U.S. PTO
09/475173
12/30/99

7420 Milner Dr.
Colorado Springs, CO 80920
December 21, 1999

Commissioner of Patents
Box Patent Applications
Washington, D.C. 20231

Dear Sir/ Madame:

re: Patent Application - Bicycle Trailer
first named inventor: QUICK, Ray
attorney docket no.: BIC_TRL

Enclosed please find the above patent application. The application comprises:

12 pages of specification + _1_ pages of drawings + Abstract
+ declar'ns - 2 P of Atty + 2 small entity
+ ENT check #1234 in the amount of _\$380. .

In the event of a deficiency of filing fees authorization DUE TO INCREASED FEES or CHECK PAYMENT is hereby given to charge deposit account #703 308 0903 in the name of G. F. Gallinger for that deficiency.

Please return the self-adressed stamped post card with the filing date and serial number of the application.

Thank you.

Sincerely,

G. F. Gallinger
Attorney of the Applicant
#34,168
(719) 599-9995

IN THE UNITED STATES PATENT OFFICE
SMALL ENTITY DECLARATION
37 CFR 1.9(f) AND 1.27(b)
INDEPENDENT INVENTOR

I HEREBY DECLARE that I qualify as an independent inventor as defined in 37 CFR 1.9(c) for the purpose of paying reduced fees under Section 41(a) and (b) of Title 35, United States Code, to the Patent and Trademark Office.

I HAVE NOT ASSIGNED, granted, conveyed, or licensed and am under no obligation under contract or law to assign, grant, convey, or license, any rights in the invention to any person who could not be classified as an independent inventor under 37 CFR 1.9(c) if that person had made the invention, or to any concern which would not qualify as a Small Business Concern under 37 CFR 1.9(d) or a non-profit organization under 37 CFR 1.9(e). Each person, concern, or organization to which I have assigned, granted, conveyed, or licensed or am under an obligation under contract or law to assign, grant, convey, or license any rights in the invention is listed below: NONE

I ACKNOWLEDGE the duty to file, in this application or patent, notification of any change of status resulting in loss of entitlement to small entity status prior to paying, or at the time of paying, the earliest of the issue fee or any maintenance fee due after the date on which status as a small entity is no longer appropriate 37 CFR 1.28(b).

I HEREBY DECLARE that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application, any patent issuing thereon, or any patent to which this verified statement is directed.

12-20-1999

Date


WALTER RAY QUICK, Inventor

IN THE UNITED STATES PATENT OFFICE
SMALL ENTITY DECLARATION
37 CFR 1.9(f) AND 1.27(b)
INDEPENDENT INVENTOR

I HEREBY DECLARE that I qualify as an independent inventor as defined in 37 CFR 1.9(c) for the purpose of paying reduced fees under Section 41(a) and (b) of Title 35, United States Code, to the Patent and Trademark Office.


I HAVE NOT ASSIGNED, granted, conveyed, or licensed and am under no obligation under contract or law to assign, grant, convey, or license, any rights in the invention to any person who could not be classified as an independent inventor under 37 CFR 1.9(c) if that person had made the invention, or to any concern which would not qualify as a Small Business Concern under 37 CFR 1.9(d) or a non-profit organization under 37 CFR 1.9(e). Each person, concern, or organization to which I have assigned, granted, conveyed, or licensed or am under an obligation under contract or law to assign, grant, convey, or license any rights in the invention is listed below: NONE

I ACKNOWLEDGE the duty to file, in this application or patent, notification of any change of status resulting in loss of entitlement to small entity status prior to paying, or at the time of paying, the earliest of the issue fee or any maintenance fee due after the date on which status as a small entity is no longer appropriate 37 CFR 1.28(b).

I HEREBY DECLARE that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application, any patent issuing thereon, or any patent to which this verified statement is directed.

12-20-1999

Date


JOAN F. QUICK, Inventor

BICYCLE TRAILER

FIELD OF INVENTION

This invention relates to trailers adapted to be towed behind bicycles. More particularly this invention relates to a lightweight bicycle trailer which may be collapsed for storage, shipping and transportation in a vehicle.

5

BACKGROUND OF THE INVENTION

Avid cyclists enjoy participating in full day, overnight, and even cross country tours of several days duration. For these longer rides more gear is required. A small volume of gear may be carried behind a bicycle seat. More gear must be carried in a back pack. It is more convenient and less burdensome to carry this additional gear in a bicycle trailer.

10

15

Like a good bicycle, a good bicycle trailer should be adequately strong and as light as possible. It should also be easily attached to, and removed from a bicycle. It is desirable if the bicycle can be laid down while remaining

attached to the trailer. Most of the time the trailer is not in use. If the trailer is collapsible for storage, shipping and transportation it is much more convenient to keep and use.

OBJECTS AND STATEMENT OF INVENTION

5

It is an object of this invention to disclose an unusually light bicycle trailer. It is yet a further object of this invention to disclose a trailer which may be readily collapsed for shipping and transportation, and a trailer which may be disassembled for ultimately convenient delivery and winter storage. It is yet a further object of this invention to disclose a trailer which may be quickly and easily attached to a bicycle. It is a final object of this invention to disclose a bicycle trailer hitch which not only is unusually quickly attached or unattached from a bicycle, but additionally is so flexibly that a bicycle can be laid down while remaining attached to a trailer standing in an upright position.

10

15

15

One aspect of this invention provides for a bicycle trailer for attachment to the frame of a bicycle comprising: a trailer frame having two rectangular members, each rectangular member having opposite end portions which are centrally and pivotally attached to the opposite end

20

portions of the other rectangular member, and each
rectangular member having a lower side portion extending
generally horizontally along one lower side portion of the
trailer and an upper side portion extending generally
horizontally along an upper side portion of the trailer; 5
spacing maintenance means extending between the two
rectangular members; a tongue member having a rear end
portion attached to a front end portion of the trailer
frame; a central portion extending forwardly, and a front
portion; a releasable hitch having a bicycle frame mounted
portion which is carried by the bicycle frame, and a
releasable portion which is attached to the front portion of
the tongue member; a trailer bottom portion extending
between the lower side portions of the rectangular frame
members; and, wheels each rotatably mounted to an 10
opposite central portion of the lower side portion of the
trailer frame. 15

Another aspect of this invention provides for a
trailer as above wherein the trailer frame comprises tubing
and wherein the upper and lower side members of the 20
rectangular frame members of the trailer comprise breaks
therethrough and wherein one end of the tubing adjacent to
the break has a reduced diameter so that it may be inserted
within the other end of the tubing adjacent to the break so
that the rectangular frame members may be disassembled. 25

Various other objects, advantages and features of novelty which characterize this invention are pointed out with particularity in the claims which form part of this disclosure. For a better understanding of the invention, its operating advantages, and the specific objects attained by its users, reference should be made to the accompanying drawings and description, in which preferred embodiments of the invention are illustrated.

5

FIGURES OF THE INVENTION

The invention will be better understood and objects other than those set forth will become apparent to those skilled in the art when consideration is given to the following detailed description thereof. Such description makes reference to the annexed drawings wherein:

10

Figure 1 is a perspective view of a bicycle trailer hitched to a bicycle.

15

Figure 2 is a shrunken perspective view of a top cover and frame bag which may be positioned on and within the frame shown in figure 1.

Figure 3 is an enlarged perspective view of the

20

hitch shown in figure 1.

The following is a discussion and description of the preferred specific embodiments of this invention, such being made with reference to the drawings, wherein the same reference numerals are used to indicate the same or similar parts and/ or structure. It should be noted that such discussion and description is not meant to unduly limit the scope of the invention. 5

DESCRIPTION OF THE INVENTION

Turning now to the drawings and more particularly to figure 1 we have a perspective view of a bicycle trailer 20 hitched to a bicycle frame 22. The bicycle trailer 20 comprises: a trailer frame 24 having two rectangular members 26, each rectangular member 26 having opposite end portions which are centrally and pivotally attached 29 to the opposite end portions of the other rectangular member 26; and each rectangular member 26 having a lower side portion extending generally horizontally along one lower side portion of the trailer 20 and an upper side portion extending generally horizontally along an upper side portion 15 of the trailer 20. Spacing maintenance means, which most preferably comprises a strap 28 extends between the two 20

rectangular members 26. A tongue member 30 has a rear end portion attached to a front end portion of the trailer frame 24; a central portion extending forwardly, and a front portion. A releasable hitch 32 has a bicycle frame mounted portion 34 which is carried by the bicycle frame 22, and a releasable portion 36 which is attached to the front portion of the tongue member 30. A trailer bottom portion 40 extends between the lower side portions of the rectangular frame members 26. Two wheels are each rotatably mounted to opposite central portion of the lower side portion of the trailer frame 26.

5

10

15

Most preferably the trailer frame 24 comprises tubing 25. The upper and lower side portions of the rectangular frame members 26 of the trailer 20 comprise breaks 38 therethrough. One end of the tubing adjacent to the break has a reduced diameter so that it may be inserted within the other end of the tubing adjacent to the break 38 so that the rectangular frame members 26 may be joined and disassembled at the break.

Most preferably the trailer bottom portion 40 comprises fabric looped around the lower side portions of the rectangular frame members 26. Similarly a frame bag 44 which is positioned within the frame 24 and seats on the trailer bottom portion 40 is made from fabric and has

20

opposite top side portions which loop around the upper side portions of the rectangular members 26 of the trailer 20.

In this application fabric is used in its broadest sense and is defined to include not only a canvas but additionally any fabricated synthetic sheet material whether woven or not. 5

Most preferably the trailer 20 further comprises a top cover 46 which is also made from fabric. The frame cover 46 has a substantial depth and has hold down straps 44 having sufficient length so that the top cover 42 may completely cover loads (not shown) extending above the upper side portions of the trailer 20. The hold down straps 48 which extend downwardly towards the lower side portions of the rectangular members 26 may utilize the type of plastic quick release buckles (not shown) utilised on back packs. 10

In the most preferred embodiment of the invention a releasable hitch 32 is employed which comprises the type of quick release lever 50 utilised on the wheels of bicycles. The hitch 32 has an eccentric lever 50 which pulls on a shaft when the lever 50 is given a quarter turn. The bicycle frame mounted portion 34 of the releasable hitch 32 is adapted to be secured to the frame by an axle 54 and an axle nut 56 on the bicycle wheel 58. This type of hitch 32 may be configured so that the bicycle 60 can be laid down while attached to the trailer 20, while the trailer 20 15 20

remains in an upright position. No other bicycle trailer manufacturer employs a hitch which may be so quickly attached to a trailer. Additionally, no other manufacturer has a simple hitch which allows a user to lay their bicycle down on a tour without disconnecting the trailer from the bicycle. This is a considerable advantage because it eliminates the weight of a bicycle stand, and allows the bicycle to assume a more stable position in wind, on soft, or on rough terrain.

5

10

In this application bicycle is used in its broadest sense and intended to include a motorcycle.

While the invention has been described with preferred specific embodiments thereof, it will be understood that this description is intended to illustrate and not to limit the scope of the invention. The optimal dimensional relationships for all parts of the invention are to include all variations in size, materials, shape, form, function, assembly, and operation, which are deemed readily apparent and obvious to one skilled in the art. All equivalent relationships to those illustrated in the drawings, and described in the specification, are intended to be encompassed in this invention. What is desired to be protected is defined by the following claims.

15

20

I CLAIM:

1) A bicycle trailer for attachment to the frame of
a bicycle comprising:

a trailer frame having two rectangular members, each
rectangular member having opposite end portions which are 5
centrally and pivotally attached to the opposite end
portions of the other rectangular member; and each
rectangular member having a lower side portion extending
generally horizontally along one lower side portion of the
trailer and an upper side portion extending generally 10
horizontally along an upper side portion of the trailer;

spacing maintenance means extending between the two
rectangular members;

a tongue member having a rear end portion attached to
a front end portion of the trailer frame; a central portion 15
extending forwardly, and a front portion;

a releasable hitch having a bicycle frame mounted
portion which is carried by the bicycle frame, and a
releasable portion which is attached to the front portion
of the tongue member; 20

a trailer bottom portion extending between the lower
side portions of the rectangular frame members; and,

wheels each rotatably mounted to an opposite central
portion of the lower side portion of the trailer frame.

2) A trailer as in claim 1 wherein the trailer frame comprises tubing.

3) A trailer as in claim 2 wherein the upper and lower side portions of the rectangular frame members of the trailer comprise breaks therethrough and wherein one end of the tubing adjacent to the break has a reduced diameter so that it may be inserted within the other end of the tubing adjacent to the break so that the rectangular frame members may be joined and disassembled at the break. 5

4) A trailer as in claim 3 wherein the trailer bottom portion comprises fabric looped around the lower side portions of the rectangular frame members. 10

5) A trailer as in claim 4 further comprising a frame bag which is positioned within the frame and seats on the trailer bottom portion. 15

6) A trailer as in claim 5 wherein the frame bag is made from fabric and has opposite top side portions which loop around the upper side portions of the rectangular members of the trailer.

7) A trailer as in claim 6 wherein the spacing maintenance means comprises a strap extending between a 20

lower and upper side portion of the trailer.

8) A trailer as in claim 6 further comprising a top cover which is made from fabric.

9) A trailer as in claim 8 wherein the frame cover has hold down straps which extend downwardly towards the lower side portions of the rectangular members. 5

10) A trailer as in claim 9 wherein the frame cover has a substantial depth and the hold down straps have sufficient length so that the top cover may completely cover loads extending above the upper side portions of the trailer. 10

11) A trailer as in claim 6 wherein the releasable hitch comprises an eccentric lever which pulls on a shaft when the lever is given a quarter turn such as utilised on the wheels of bicycles. 15

12) A trailer as in claim 11 wherein the bicycle frame mounted portion of the releasable hitch is adapted to be secured to the bicycle frame by an axle and an axle nut on the bicycle wheel.

13) A trailer as in claim 12 wherein the hitch is 20

configured so that the bicycle can be laid down while attached to the trailer and while the trailer remains in an upright position.

14) A hitch for attaching a bicycle trailer to a bicycle wherein the hitch comprises an eccentric lever which pulls on a shaft when the lever is given a quarter turn such as utilised on the wheels of bicycles. 5

15) A hitch as in claim 14 wherein the bicycle frame mounted portion of the releasable hitch is adapted to be secured to the frame by an axle and an axle nut on the bicycle. 10

16) A hitch as in claim 15 wherein the hitch is configured so that the bicycle can be laid down while attached to the trailer and while the trailer remains in an upright position. 15

ABSTRACT OF THE DISCLOSURE

An unusually light bicycle trailer which may be readily collapsed for shipping, transportation, and storage. The trailer employs a hitch which not only is unusually quickly attached or unattached from a bicycle, but additionally is so flexible that the bicycle can be laid down while remaining attached to a trailer standing in an upright position. The bicycle trailer comprises a trailer frame having two rectangular members, each rectangular member having opposite end portions which are centrally and pivotally attached to the opposite end portions of the other rectangular member; and each rectangular member having a lower side portion extending generally horizontally along one lower side portion of the trailer and an upper side portion extending generally horizontally along an upper side portion of the trailer; a strap extending between the rectangular members to maintain the members in spaced relationship; a tongue member; a releasable hitch; a trailer bottom portion extending between the lower side portions of the rectangular frame members; and, wheels each rotatably mounted to an opposite central portion of the lower side portion of the trailer frame.

5
10
15
20




Fig. 1




Fig. 3




Fig. 2

DECLARATION, POWER OF ATTORNEY, AND PETITION

I HEREBY DECLARE that I, WALTER RAY QUICK reside at, 1821 N. 10'TH ST., CANON CITY, COLORADO 81212, am a citizen of the United States, and that I have read and understand the foregoing specification and claims attached hereto and verily believe that I am the original, first, and sole inventor thereof; that I do not know and do not believe that this invention was ever known or used before my invention thereof, or patented or described in any printed publication, or was the subject of an inventor's certificate in any country before my invention thereof or more than one year prior to this application, or in public use of or on sale in the United States for more than one year prior to this application; that this invention has not been patented in any country foreign to the United States on an application for patent or inventor's certificate filed by me or my legal representatives or assigns more than twelve (12) months before this application; that I acknowledge my duty to disclose information of which we are aware which is material to the examination of this application in accordance with 37 CFR 1.56(a); that I have reviewed and understand the contents of the specification, including the claims, as amended by any amendment specifically referred to in this declaration; and that no application for patent or certificate on this invention has been filed by me or my Representatives or Assigns in any country foreign to the United States except as follows: NONE

I HEREBY APPOINT, Glen F. Gallinger, Registration No 34,168 of 7420 Milner Dr., #1000, Colorado Springs, Colorado 80920, (719) 599-9995, as my attorney with power of substitution and revocation to prosecute this application and to transact all business in the Patent Office connected herewith.

WHEREFORE, I pray that Letters Patent be granted to me for the invention or discovery described and claimed in the foregoing specification and claims, and I hereby subscribe my name to the foregoing specification and claims, Declaration, Power of Attorney, and this Petition.

THE UNDERSIGNED PETITIONER DECLARIES further that all statements made herein of his own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issuing thereon.

12-20-1999

Date


WALTER RAY QUICK, Inventor

DECLARATION, POWER OF ATTORNEY, AND PETITION

I HEREBY DECLARE that I, JOAN F. QUICK reside at, 1821 N. 10'TH ST., CANON CITY, COLORADO 81212, am a citizen of the United States, and that I have read and understand the foregoing specification and claims attached hereto and verily believe that I am the original, first, and sole inventor thereof; that I do not know and do not believe that this invention was ever known or used before my invention thereof, or patented or described in any printed publication, or was the subject of an inventor's certificate in any country before my invention thereof or more than one year prior to this application, or in public use of or on sale in the United States for more than one year prior to this application; that this invention has not been patented in any country foreign to the United States on an application for patent or inventor's certificate filed by me or my legal representatives or assigns more than twelve (12) months before this application; that I acknowledge my duty to disclose information of which we are aware which is material to the examination of this application in accordance with 37 CFR 1.56(a); that I have reviewed and understand the contents of the specification, including the claims, as amended by any amendment specifically referred to in this declaration; and that no application for patent or certificate on this invention has been filed by me or my Representatives or Assigns in any country foreign to the United States except as follows: NONE

I HEREBY APPOINT, Glen F. Gallinger, Registration No 34,168 of 7420 Milner Dr., #1000, Colorado Springs, Colorado 80920, (719) 599-9995, as my attorney with power of substitution and revocation to prosecute this application and to transact all business in the Patent Office connected herewith.

WHEREFORE, I pray that Letters Patent be granted to me for the invention or discovery described and claimed in the foregoing specification and claims, and I hereby subscribe my name to the foregoing specification and claims, Declaration, Power of Attorney, and this Petition.

THE UNDERSIGNED PETITIONER DECLARIES further that all statements made herein of his own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issuing thereon.

12-20-1999

Date


JOAN F. QUICK, Inventor